

# PUREPINE

MOULDINGS



## PRODUCT CATALOGUE

Quality produced with pride

[www.purepine.co.nz](http://www.purepine.co.nz)

**PUKEPINE**  
SAWMILLS









## COMPANY PROFILE

Purepine Mouldings is the timber re-manufacturing operation of Pukepine Sawmills. The primary base of operation is located in the township of Te Puke, Bay of Plenty. Working as a complimentary operation along side Pukepine Sawmills ensures that Purepine Mouldings has access to plantation grown Radiata pine that has been processed to their exacting standards to meet the wide range of products for both domestic and overseas clients.

Here at Purepine Mouldings we aim to deliver consistent top quality products by carefully managing every step of the process, therefore on-site our production processes include kilns for drying, equipment for grading, scanning and cut to length, band saw and planer options, finger-joint and glulam departments along with painting systems for both water and oil based priming.



# CONTENTS

How To Use This Brochure	1
Information	2
Standard Mouldings	3-5
Exterior Mouldings	6
Classic Moulding Range	7
Dressed 4 Sides	8
Dowelling	9
Tongue & Groove	10
Grooved Batten	11
Fascia	12
Window Reveal	13-14
Jambs	15-17
Weatherboards	18
Box corner pieces, starter boards and internal corner board	19



# HOW TO USE THIS BROCHURE



1. The letters correspond to the profile name code. This example is Dressed four sides.
2. This number represents the profile size. The first two or three numbers always correspond to the profile HEIGHT (eg 65mm). The last two numbers always correspond to the profile WIDTH (eg 19mm).
3. Circle icons represent the grade of timber.
4. Square icons represent the timber finish.

## FINISHING AND GRADE KEY

### TIMBER GRADE

Finger-jointed   Clears   Dressing Grade

### FINISH AND TREATMENT OPTIONS

Untreated   H3.1 Primed   H3.1 Kiln Dried  
 Primed   H3.2 Treated Wet

<b>Finger Jointed Untreated Pine</b>		Made from lengths of New Zealand Radiata Pine from which knots and other defects have been removed. Fingers are cut onto the pieces of timber and joined end to end with specialised glue. This creates a product that has superior strength, stability and greater overall length than the original pieces of timber.
<b>Primed Finger Jointed Pine</b>		Pre-coated with a convenient specially developed primer designed to provide temporary protection during the installation process. Priming does not waterproof product so it's important to keep them dry at all times.
<b>Clear Grade Pine</b>		Clear timber is a premium grade, free of knots and blemishes on both faces and edges. Often used in high quality joinery, mouldings and furniture components.
<b>Dressing Grade Pine</b>		An appearance grade also referred to as furniture grade. For use where natural character is important. Features tight knots and small bark or resin pockets. Cone holes may be present in the occasional piece.



# INFORMATION

## IMPORTANT NOTICE TO ALL OUR CUSTOMERS

All our product is supplied kiln dried to an average 12% moisture content at the time of dispatch. Merchants and end users must ensure that care is taken to maintain the product in a dry environment at all times. Moisture uptake is easily detected by swelling between the joints in finger jointing and raised grain in finger jointing and clear profiles.

We do not warranty product that has become wet or damp for any reason, and is showing defects to the finished surface as described above.

A dry storage environment is also required for treated pre-primed product. Primer coats are not designed as a sealer coat but simply as a holding coat.

So remember - always store all Purepine Radiata Decorative Profiles out of the weather! Always store well supported either vertical or horizontal, and keep off the ground or floor.

## GENERAL INFORMATION

1. Mouldings available ex-stock as finger-jointed or clears are indicated in the brochure, other options in clears maybe available on request.
2. Finger-jointed mouldings are 5.4m lengths. Pre-primed weatherboards and fascias are 6.0m lengths. Dowel is available in 1.8 and 2.4 lengths.
3. Dressing and clear grade products are supplied as random lengths.
4. All finger-jointed and untreated profiles are also available as H3.1 treated and/or pre-primed on request.
5. Always check with your local timber merchant if any minimum order quantity is required prior to ordering.
6. We recommend full adherence to manufacturers instructions when painting or staining installed products to achieve best finished results.

## SPECIFIC INFORMATION

- Panelling profiles require certain fixing techniques to ensure durability. It is important that the following steps be taken to avoid movement of product:
  1. Product must be stored indoors and protected from direct sunlight.
  2. Seal all around before fixing.
  3. Fix by face nailing using adequate nails and glue to all fixing surfaces. (Secret nailing may not be sufficient to stop all movement of product).
  4. Stain, polyurethane or paint.
- Purepine will provide whatever product the merchant specifies. However, no liability will be taken for incorrectly specified product.

## PUREPINE TREATED AND PRE-PRIMED PRODUCTS

Purepine treated and pre-primed products are produced with a high level of care and expertise.


Our aim is to always be in the forefront with technology so along with traditional oil based primers we also run a high tech acrylic quick dry priming system with UV coating which provides an outstanding finish and is environmentally friendly.

All our finger-jointing and glulam products use PUR adhesives which are solvent free and once cured completely inert and toxicologically safe meaning a minimum impact on the environment and human health. All this while meeting structural wood adhesive rating in accordance with AS/NZS 4364 (Int):2007.




# STANDARD MOULDINGS

## DOUBLE & SINGLE BEVEL ARCHITRAVE



CODE	DBA4010	SBA4010	SBA6010	SBA9010	SBA4018	SBA6018	SBA9018
WIDTH	40 mm	40 mm	60 mm	90 mm	40 mm	60 mm	90 mm
THICKNESS	10 mm	10 mm	10 mm	10 mm	18 mm	18 mm	18 mm
TIMBER GRADE							
FINISH AND TREATMENT OPTIONS							


## BULL NOSE ARCHITRAVE



CODE	BNA4010	BNA6010	BNA6010	BNA6018	BNA9018
WIDTH	40 mm	60 mm	90 mm	60 mm	90 mm
THICKNESS	10 mm	10 mm	10 mm	18 mm	18 mm
TIMBER GRADE					
FINISH AND TREATMENT OPTIONS					


# STANDARD MOULDINGS

## GOVT / SPLAYED ARCHITRAVE



CODE	SA6018	SA9018	SA13518
WIDTH	60 mm	90 mm	135 mm
THICKNESS	18 mm	18 mm	18 mm
TIMBER GRADE			
FINISH AND TREATMENT OPTIONS			

## SQUARE TOP ARCHITRAVE















CODE	STA6018	STA9018	STA13518
WIDTH	60 mm	90 mm	135 mm
THICKNESS	18 mm	18 mm	18 mm
TIMBER GRADE			
FINISH AND TREATMENT OPTIONS			
































# STANDARD MOULDINGS
















				
CODE	SC028	SC035	DM1806	DM3006
WIDTH	28 mm	35 mm	18 mm	30 mm
THICKNESS	28 mm	35 mm	6 mm	6 mm
DESCRIPTION	Scotia	Scotia	D Mould	D Mould
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				

				
CODE	BEAD1007	EC2216	BVC3018	BVC4018
WIDTH	10 mm	22 mm	30 mm	40 mm
THICKNESS	7 mm	16 mm	18 mm	18 mm
DESCRIPTION	Bead	External Corner	Bev.Cornice	Bev.Cornice
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				


# EXTERIOR MOULDINGS

				
CODE	AGF18	QUAD12	QUAD18	QUAD25
WIDTH	18 mm	12 mm	18 mm	25 mm
THICKNESS	18 mm	12 mm	18 mm	25 mm
DESCRIPTION	Angle Fillet	Quad	Quad	Quad
TIMBER GRADE		 	 	 
FINISH AND TREATMENT OPTIONS	  	 	 	 

			
CODE	EAV4027	EAV2419	LSB
WIDTH	40 mm	24 mm	65 mm
THICKNESS	27 mm	19 mm	38 mm
DESCRIPTION	Eaves Mould	Eaves Mould	Linea Sill Block
TIMBER GRADE			
FINISH AND TREATMENT OPTIONS			

					
CODE	SCR4010	SCR6010	SCR2518	SCR4018	SCR6018
WIDTH	40 mm	60 mm	25 mm	40 mm	60 mm
THICKNESS	10 mm	10 mm	18 mm	18 mm	18 mm
DESCRIPTION	Scriber	Scriber	Scriber	Scriber	Scriber
TIMBER GRADE					
FINISH AND TREATMENT OPTIONS					

# CLASSIC MOULDING RANGE
















CODE	CA6018	CA9018	CA13518	RA6818	RA9018	RA14018
WIDTH	60 mm	90 mm	135 mm	68 mm	90 mm	140 mm
THICKNESS	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm
DESCRIPTION	Colonial Architrave	Colonial Architrave	Colonial Architrave	Replica Architrave	Replica Architrave	Replica Architrave
TIMBER GRADE						
FINISH AND TREATMENT OPTIONS						










CODE	CAS60	BUN1818	BUN2828
WIDTH	60 mm	18 mm	28 mm
THICKNESS	60 mm	18 mm	28 mm
DESCRIPTION	Colonial Scotia	Bungalow	Bungalow
TIMBER GRADE			
FINISH AND TREATMENT OPTIONS			




















# DRESSED 4 SIDES

				
CODE	SD1212	SD1818	SD2424	SDA1818
WIDTH	12 mm	18 mm	24 mm	18 mm
THICKNESS	12 mm	18 mm	24 mm	18 mm
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				






























CODE	D4S3010	D4S4010	D4S6010	D4S9010	D4S13510
WIDTH	30 mm	40 mm	60 mm	90 mm	135 mm
THICKNESS	10 mm	10 mm	10 mm	10 mm	10 mm
TIMBER GRADE					
FINISH AND TREATMENT OPTIONS					















CODE	D4S4018	D4S6518	D4S9018	D4S11418	D4S13518	D4S18018	D4S23018	D4S28018
WIDTH	40 mm	65 mm	90 mm	114 mm	135 mm	180 mm	230 mm	280 mm
THICKNESS	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm
TIMBER GRADE								
FINISH AND TREATMENT OPTIONS								

\*Mouldings Scale 1:15


# DOWELLING

									
CODE	DOW06	DOW08	DOW09	DOW10	DOW12	DOW16	DOW18	DOW20	DOW22
WIDTH	6 mm	8 mm	9 mm	10 mm	12 mm	16 mm	18 mm	20 mm	22 mm
TIMBER GRADE									
FINISH AND TREATMENT OPTIONS									


				
CODE	DOW25	DOW28	DOW32	DOW35
WIDTH	25 mm	28 mm	32 mm	35 mm
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				

			
CODE	DOW40	DOW45	DOW55
WIDTH	40 mm	45 mm	55 mm
TIMBER GRADE			
FINISH AND TREATMENT OPTIONS			

# TONGUE & GROOVE



CODE	TGV9010	TGV13510	TGV18010
WIDTH	90 mm	135 mm	180 mm
THICKNESS	10 mm	10 mm	10 mm
COVER DIMENSION	81 mm	128 mm	172 mm
TIMBER GRADE	© d	© d	© d
FINISH AND TREATMENT OPTIONS	UT H31 KD	UT H31 KD	UT H31 KD




CODE	TGV9019	TGV13519	TGV18019
WIDTH	90 mm	135 mm	180 mm
THICKNESS	19 mm	19 mm	19 mm
COVER DIMENSION	81 mm	128 mm	172 mm
TIMBER GRADE	© d	© d	© d
FINISH AND TREATMENT OPTIONS	UT H31 KD	UT H31 KD	UT H31 KD




# GROOVED BATTEN

## SMOOTH FINISH




CODE	GRB4019	GRB6519	GRB9019
WIDTH	40 mm	65 mm	90 mm
THICKNESS	19 mm	19 mm	19 mm
DESCRIPTION	Smooth finish	Smooth finish	Smooth finish
TIMBER GRADE	<b>d</b>	<b>d</b>	<b>d</b>
FINISH AND TREATMENT OPTIONS	<b>H3.1</b> <b>KD</b> <b>H3.2</b> <b>TW</b>	<b>H3.1</b> <b>KD</b> <b>H3.2</b> <b>TW</b>	<b>H3.1</b> <b>KD</b> <b>H3.2</b> <b>TW</b>


## BANDSAWN FINISH



CODE	GBS4019	GBS6519	GBS9019
WIDTH	40 mm	65 mm	90 mm
THICKNESS	19 mm	19 mm	19 mm
DESCRIPTION	Bandsawn Finish	Bandsawn Finish	Bandsawn Finish
TIMBER GRADE	<b>d</b>	<b>d</b>	<b>d</b>
FINISH AND TREATMENT OPTIONS	<b>H3.1</b> <b>KD</b> <b>H3.2</b> <b>TW</b>	<b>H3.1</b> <b>KD</b> <b>H3.2</b> <b>TW</b>	<b>H3.1</b> <b>KD</b> <b>H3.2</b> <b>TW</b>




CODE	FAS13518	FAS18018	FAS23018	FAS28018
WIDTH	135 mm	180 mm	230 mm	280 mm
THICKNESS	18 mm	18 mm	18 mm	18 mm
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				




CODE	FAS13529	FAS18029	FAS23029	FAS28029
WIDTH	135 mm	180 mm	230 mm	280 mm
THICKNESS	29 mm	29 mm	29 mm	29 mm
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				

Fascia lengths supplied in 6.0m  
\*Mouldings Scale 1:15

# WINDOW REVEAL



CODE	R92NG	R116NG	R125NG	R140NG	R180NG
WIDTH	92 mm	116 mm	125 mm	140 mm	180 mm
THICKNESS	18 mm	18 mm	18 mm	18 mm	18 mm
DESCRIPTION	Window Reveal Non-Grooved	Window Reveal Non-Grooved	Window Reveal Non-Grooved	Window Reveal Non-Grooved	Window Reveal Non-Grooved
TIMBER GRADE					
FINISH AND TREATMENT OPTIONS					















CODE	R92	R116	R125	R140	R180	R300*	R600*
WIDTH	92 mm	116 mm	125 mm	140 mm	180 mm	300 mm	600 mm
THICKNESS	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm
DESCRIPTION	Window Reveal Grooved	Window Reveal Grooved	Window Reveal Grooved	Window Reveal Grooved	Window Reveal Grooved	Window Reveal Grooved	Window Reveal Grooved
TIMBER GRADE							
FINISH AND TREATMENT OPTIONS							


\*R300 & R600 Images not shown



# WINDOW REVEAL




CODE	R11625	R12525	R14025	R14030
WIDTH	116 mm	125 mm	140 mm	140 mm
THICKNESS	25 mm	25 mm	25 mm	30 mm
DESCRIPTION	Window Reveal Rebated	Window Reveal Rebated	Window Reveal Rebated	Window Reveal Rebated
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				







CODE	FJ9218	FJ11218	DSA3010	J2P38	J2P42	J2P70	J2P90
WIDTH	92 mm	112 mm	30 mm	67 mm	67 mm	40 mm	60 mm
THICKNESS	18 mm	18 mm	10 mm	28 mm	28 mm	18 mm	18 mm
DESCRIPTION	Flat Jamb – Undershot	Flat Jamb – Undershot		Jamb - 2 Piece Front	Jamb - 2 Piece Front	Jamb - 2 Piece Back	Jamb - 2 Piece Back
TIMBER GRADE							
FINISH AND TREATMENT OPTIONS							









J2P components are 4.2 m in FJ and 2.5 m in clears. Front and back ordered as a pair.




CODE	JG11430	JG13518	JG13525	JG13530	FJR11232
WIDTH	114 mm	135 mm	135 mm	135 mm	112 mm
THICKNESS	30 mm	18 mm	25 mm	30 mm	32 mm
DESCRIPTION	Jamb - Double Gib Grooved - Flat	Jamb - Double Gib Grooved - Flat	Jamb - Double Gib Grooved - Flat	Jamb - Double Gib Grooved - Flat	Jamb - Rebated With No Gib Groove
TIMBER GRADE					
FINISH AND TREATMENT OPTIONS					
















CODE	JSL39	JSL42	SJ13540	SJ13530
WIDTH	112 mm	112 mm	135 mm	135 mm
THICKNESS	30 mm	30 mm	41 mm	30 mm
DESCRIPTION	Jamb - Slimline 112mm, 39mm Rebate	Jamb - Slimline 112mm, 42mm Rebate	Jamb - Slimline - Gib Grooved	Jamb - Slimline - Gib Grooved
TIMBER GRADE				
FINISH AND TREATMENT OPTIONS				

# WEATHERBOARDS




CODE	BBW140	BBW185	RWB135	RWB180	SLP135	SLP180
WIDTH	140 mm	185 mm	135 mm	180 mm	135 mm	180 mm
THICKNESS	18 mm	18 mm	18 mm	18 mm	18 mm	18 mm
DESCRIPTION	Bevelback Weatherboard	Bevelback Weatherboard	Rusticated	Rusticated	Shiplap	Shiplap
COVER DIMENSION	110 mm	155 mm	110 mm	155 mm	110 mm	155 mm
TIMBER GRADE						
FINISH AND TREATMENT OPTIONS						

Install and fasten all weatherboard and fascia as per New Zealand Building Code. For more detailed instructions on weatherboards refer to [www.smartclad.co.nz](http://www.smartclad.co.nz) or the Purepine Smartclad Weatherboard brochure.

Optional Bandsawn face to RWB and SLP available on request.

# BOX CORNER PIECES, STARTER BOARDS AND INTERNAL CORNER BOARD



CODE	SB140	SB185	SCBCM	SCBCF	SISCS	SCSB
WIDTH	140	185	88	100	40	65
THICKNESS	34	32	18	18	40	38
DESCRIPTION	Bevelback Starter Board	Bevelback Starter Board	Box Corner (Male)	Box Corner (Female)	Internal Corner Board	Smartclad Sill Block

## ALSO AVAILABLE IN STOCK

CODE	SCR14018	SCR18518	RP2510
WIDTH	40	40	25
THICKNESS	18	18	10
DESCRIPTION	Pre-cut Scriber	Pre-cut Scriber	Rustic Plug

For further technical information on our Weatherboards please visit [www.smartclad.co.nz](http://www.smartclad.co.nz)  
 Starter Boards supplied in 6.0 m lengths all other components are supplied in 5.4 m lengths

**PUREPINE**  
MOULDINGS

**PUKEPINE**  
SAWMILLS

PO Box 41, Te Puke 3153, New Zealand **P** 0800 768 253 **F** +64 7 573 4189

[www.pukepine.co.nz](http://www.pukepine.co.nz)